
101
102
103
104
105
106
107
108
111
110b
110a
110d
110
116
3Bk
3C
3M
3Y
110e
110c
120
110e
ABC

FIG.1



FIG.2


2
(2Y, 2M, 2C, 2Bk)
2A 2A
58
51
4
53
52
54
3
(3Y, 3M, 3C, 3Bk)
57 55
54A
59
61
60
56

FIG.3



FIG.4

FIG.5

FIG.5A

FIG.5B



FIG.5A


S9
PRINTING MODE?
SMALL
MEDIUM
LARGE
S10
S12
S14
PRINT IN SMALL EJECTION AMOUNT MODE FOR PREDETERMINED AMOUNT
PRINT IN MEDIUM EJECTION AMOUNT MODE FOR PREDETERMINED AMOUNT
PRINT IN LARGE EJECTION AMOUNT MODE FOR PREDETERMINED AMOUNT
PREPARATORY EJECTION IN MEDIUM EJECTION AMOUNT MODE
PREPARATORY EJECTION IN LARGE EJECTION AMOUNT MODE
PREPARATORY EJECTION IN LARGE EJECTION AMOUNT MODE
S11
S13
S15
S16
PRINT END?
NO
YES
END

FIG5B



FIG.6A



FIG.6B

FIG. 7

FIG. 7A

FIG. 7B



FIG. 7A


S108
PRINT IN SMALL EJECTION AMOUNT MODE
S109
TIMER 1 COUNT UP?
NO
YES
S110
PRELIMINARY EJECTION IN LARGE EJECTION AMOUNT MODE
RESET TIMER 1
S111
S112
PRINT IN LARGE EJECTION AMOUNT MODE
S113
TIMER 2 COUNT UP?
NO
YES
S114
PRELIMINARY EJECTION IN LARGE EJECTION AMOUNT MODE
RESET TIMER 2
S115
S16
PRINT END?
NO
YES
END

FIG. 7B



FIG. 8


EJECTION AMOUNT TEMPERATURE
DEPENDENCY COEFFICIENT : KT(ng/℃ · dot)
EJECTION AMOUNT Vd (ng/dot)
ΔVdT
ΔTH
Vo
0
20
30
40
50
ENVIRONMENTAL TEMPERATURE TR (℃)

FIG.9



FIG.10A



FIG.10B



FIG.11

TABLE NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪
HEAD TEMPERATURE Th (℃)	LESS THAN 26	26 OR MORE ~ LESS THAN 29	29 OR MORE ~ LESS THAN 32	32 OR MORE ~ LESS THAN 35	35 OR MORE ~ LESS THAN 38	38 OR MORE ~ LESS THAN 41	41 OR MORE ~ LESS THAN 44	44 OR MORE ~ LESS THAN 47	47 OR MORE ~ LESS THAN 50	50 OR MORE ~ LESS THAN 53	53 OR MORE
OFFSET PERIOD τ(μsec)	0	0.8	1.2	1.5	1.8	2.1	2.4	2.7	3.0	3.4	4.0

FIG.12


EJECTION AMOUNT CONTROL RANGE
TEMPERATURE ADJUSTING RANGE
OFFSET PERIOD CONTROL RANGE
①
②
③
④
⑤
⑥
⑦
⑧
⑨
⑩
⑪
EJECTION AMOUNT V_{do} (pl)
T_o
T_L
HEAD TEMPERATURE T_h (℃)

FIG.13


INTERVAL OF 20msec
S201
DETECT HEAD TEMPERATURE
Th=Tn
S202
AVERAGING PROCESS OF HEAD TEMPERATURE
Tn= (Tn+Tn-1+Tn-2+Tn-3)/4
S203
1. |ΔT=Tn-Tn-1|<1℃
2. ΔT=Tn-Tn-1≧1℃
3. ΔT=Tn-Tn-1≦1℃
1
2
3
S204
SHORTEN OFFSET PERIOD
NUMBER OF TABLE IS MADE HIGHER
S205
MAINTAIN OFFSET PERIOD
S206
LENGTHEN OFFSET PERIOD
NUMBER OF TABLE IS LOWERED
*
INHIBIT TABLE JUMP

FIG.14

TABLE NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪
HEAD TEMPERATURE Th (℃)	LESS THAN 26	26 OR MORE ~ LESS THAN 29	29 OR MORE ~ LESS THAN 32	32 OR MORE ~ LESS THAN 35	35 OR MORE ~ LESS THAN 38	38 OR MORE ~ LESS THAN 41	41 OR MORE ~ LESS THAN 44	44 OR MORE ~ LESS THAN 47	47 OR MORE ~ LESS THAN 50	50 OR MORE ~ LESS THAN 53	53 OR MORE
OFFSET PERIOD τ(μsec)	0	-0.8	-1.2	-1.5	-1.8	-2.1	-2.4	-2.7	-3.0	-3.4	-4.0

FIG.15

TABLE NO.	①	②	③	④	⑤	⑥	⑦	⑧
HEAD TEMPERATURE Th (℃)	LESS THAN 26	26 OR MORE ~ LESS THAN 29	29 OR MORE ~ LESS THAN 32	32 OR MORE ~ LESS THAN 35	35 OR MORE ~ LESS THAN 38	38 OR MORE ~ LESS THAN 41	41 OR MORE ~ LESS THAN 44	44 OR MORE
OFFSET PERIOD τ(μsec)	1.2	1.5	1.8	2.1	2.4	2.7	3.0	3.3

FIG.16



FIG.17


EJECTION AMOUNT V_d (pl)
$\frac{dVd}{dT} = \gamma$
SMALL HEATER + large HEATER
(LARGE EJECTION AMOUNT MODE)
$\frac{dVd}{dT} = \beta$
LARGE HEATER
(MEDIUM EJECTION MODE)
$\frac{dVd}{dT} = \alpha$
SMALL HEATER
(SMALL EJECTION AMOUNT MODE)
25
30
35
40
45
HEAD TEMPERATURE T_h (℃)

FIG.18


40pl
3msec
(A)
(C)
3.5µsec
(B)
(B)'
25pl
15pl
6.5µsec
-5
0
5
SMALL HEATER EARLIER
LARGE HEATER EARLIER (OFFSET PERIOD) (µsec)

FIG.19

LARGE EJECTION AMOUNT MODE (40pl/dot)

TABLE NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
HEAD TEMPERATURE Th (℃)	LESS THAN 26	26 OR MORE ~ LESS THAN 29	29 OR MORE ~ LESS THAN 32	32 OR MORE ~ LESS THAN 35	35 OR MORE ~ LESS THAN 38	38 OR MORE ~ LESS THAN 41	41 OR MORE ~ LESS THAN 44	44 OR MORE ~ LESS THAN 47	47 OR MORE ~ LESS THAN 50	50 OR MORE
OFFSET PERIOD τ(μsec)	0	0.4	0.6	0.8	1.0	1.2	1.4	1.6	1.8	2.0



FIG.20A

MEDIUM EJECTION AMOUNT MODE (25pl/dot)

TABLE NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
HEAD TEMPERATURE Th (℃)	LESS THAN 26	26 OR MORE ~ LESS THAN 29	29 OR MORE ~ LESS THAN 32	32 OR MORE ~ LESS THAN 35	35 OR MORE ~ LESS THAN 38	38 OR MORE ~ LESS THAN 41	41 OR MORE ~ LESS THAN 44	44 OR MORE ~ LESS THAN 47	47 OR MORE ~ LESS THAN 50	50 OR MORE
OFFSET PERIOD τ(μsec)	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.7	6.1	6.5



FIG.20B

LARGE EJECTION AMOUNT MODE (40pl/dot)

TABLE NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
HEAD TEMPERATURE Th (℃)	LESS THAN 26	26 OR MORE ~ LESS THAN 29	29 OR MORE ~ LESS THAN 32	32 OR MORE ~ LESS THAN 35	35 OR MORE ~ LESS THAN 38	38 OR MORE ~ LESS THAN 41	41 OR MORE ~ LESS THAN 44	44 OR MORE ~ LESS THAN 47	47 OR MORE ~ LESS THAN 50	50 OR MORE
OFFSET PERIOD τ(μsec)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3.0



FIG.21A

MEDIUM EJECTION AMOUNT MODE (25pl/dot)

TABLE NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
HEAD TEMPERATURE Th (℃)	LESS THAN 26	26 OR MORE ~ LESS THAN 29	29 OR MORE ~ LESS THAN 32	32 OR MORE ~ LESS THAN 35	35 OR MORE ~ LESS THAN 38	38 OR MORE ~ LESS THAN 41	41 OR MORE ~ LESS THAN 44	44 OR MORE ~ LESS THAN 47	47 OR MORE ~ LESS THAN 50	50 OR MORE
OFFSET PERIOD τ(μsec)	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.7	6.1	6.5



FIG.21B

SH1: SMALL HEATER
SH2: LARGE HEATER



FIG.22



FIG.23



FIG.24A



FIG.24B


SMALL HEATER + large HEATER
(large EJECTION AMOUNT MODE)
LARGE HEATER
(MEDIUM EJECTION MODE)
SMALL HEATER
(SMALL EJECTION AMOUNT MODE)
C
B
A
0
1.0
PRE-PULSE WIDTH P1 (μsec)
EJECTION AMOUNT Vd (pl)

FIG.25


EJECTION AMOUNT CONTROL RANGE
TEMPERATURE ADJUSTING RANGE
PWM CONTROL RANGE
EJECTION AMOUNT V_{do} (pl)
①
②
③
④
⑤
⑥
⑦
⑧
⑨
⑩
⑪
T_O
T_L

FIG.26


212
HEAD TEMPERATURE
210
DRIVE WAVEFORM PARAMETER SETTING TABLE
211A
〈 DRIVE WAVEFORM SET 〉
① ONLY PRE-PULSE
② ONLY MAIN-PULSE
③ PRE-PULSE + MAIN-PULSE
DRIVE
SH1
211B
〈 DRIVE WAVEFORM SET 〉
① ONLY PRE-PULSE
② ONLY MAIN-PULSE
③ PRE-PULSE + MAIN-PULSE
DRIVE
SH2

FIG.27


213
EJECTION AMOUNT MODE
214
MAIN PULSE DRIVE HEATER SET
212
HEAD TEMPERATURE
210A
210C
210B
DRIVE WAVEFORM PARAMETER SETTING TABLE
DRIVE WAVEFORM PARAMETER SETTING TABLE
DRIVE WAVEFORM PARAMETER SETTING TABLE
211A
211C
211B
〈 DRIVE WAVEFORM SET 〉
SH1
① ONLY PRE-PULSE
② ONLY MAIN-PULSE
③ PRE-PULSE + MAIN-PULSE
〈 DRIVE WAVEFORM SET 〉
SH1+SH2
① ONLY PRE-PULSE
② ONLY MAIN-PULSE
③ PRE-PULSE + MAIN-PULSE
〈 DRIVE WAVEFORM SET 〉
SH2
① ONLY PRE-PULSE
② ONLY MAIN-PULSE
③ PRE-PULSE + MAIN-PULSE
DRIVE
SH1
DRIVE
SH2

FIG.28

213 214

EJECTION AMOUNT MODE	MAIN HEAT PULSE DRIVEN HEATER	PRE-HEAD PULSE DRIVEN HEATER
SMALL	SH1	SH1
		SH2
		SH1+SH2
MEDIUM	SH2	SH1
		SH2
		SH1+SH2
LARGE	SH1+SH2	SH1
		SH2
		SH1+SH2

FIG.29

P_1 TABLE FOR SMALL EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER PRE-PULSE (μsec)	1.0	0.95	0.90	0.85	0.80	0.75	0.70	0.65	0.60	0.55	0.50	0.45	0.40	0.35	0.30	0.25	0.20	0.15	0.10
LARGE HEATER PRE-PULSE (μsec)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

(15pl)

FIG.30A

P_1 TABLE FOR MEDIUM EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER PRE-PULSE (μsec)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LARGE HEATER PRE-PULSE (μsec)	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0	0	0	0	0	0	0	0	0

(25pl)

FIG.30B

P_1 TABLE FOR LARGE EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER PRE-PULSE (μsec)	1.0	0.95	0.90	0.85	0.80	0.75	0.70	0.65	0.60	0.55	0.50	0.45	0.40	0.35	0.30	0.25	0.20	0.15	0.10
LARGE HEATER PRE-PULSE (μsec)	1.0	0.95	0.90	0.85	0.80	0.75	0.70	0.65	0.60	0.55	0.50	0.45	0.40	0.35	0.30	0.25	0.20	0.15	0.10

(40pl)

FIG.30C

(FOR SMALL EJECTION AMOUNT MODE)



FIG.31A

(FOR MEDIUM EJECTION AMOUNT MODE)



FIG.31B

(FOR LARGE EJECTION AMOUNT MODE)



FIG.31C

P_1 TABLE FOR SMALL EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER PRE-PULSE (μsec)	1.0	0.95	0.90	0.85	0.80	0.75	0.70	0.65	0.60	0.55	0.50	0.45	0.40	0.35	0.30	0.25	0.20	0.15	0.10
LARGE HEATER PRE-PULSE (μsec)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

(15pl)

FIG.32A

P_1 TABLE FOR MEDIUM EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER PRE-PULSE (μsec)	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	0.6	0.4	0.2	0	0	0	0
LARGE HEATER PRE-PULSE (μsec)	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0	0	0	0	0	0	0	0	0

(25pl)

FIG.32B

P_1 TABLE FOR LARGE EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER PRE-PULSE (μsec)	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2
LARGE HEATER PRE-PULSE (μsec)	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0	0	0	0	0	0	0	0	0

(40pl)

FIG.32C



(FOR SMALL EJECTION AMOUNT MODE)

FIG.33A



(FOR MEDIUM EJECTION AMOUNT MODE)

FIG.33B



(FOR LARGE EJECTION AMOUNT MODE)

FIG.33C

P_1 TABLE FOR SMALL EJECTION AMOUNT MODE
(FOR LOW TEMPERATURE)

HEAD T TEMPERATURE (℃)	~16	~18	~20	~22	~24	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	50~
SMALL HEATER PRE-PULSE (μsec)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LARGE HEATER PRE-PULSE (μsec)	2.0	1.93	1.86	1.8	1.73	1.66	1.6	1.53	1.46	1.4	1.33	1.26	1.2	1.13	1.06	1.0	0.93	0.87	0.80

(15pl)

FIG.34A

P_1 TABLE FOR MEDIUM EJECTION AMOUNT MODE
(FOR LOW TEMPERATURE)

HEAD T TEMPERATURE (℃)	~16	~18	~20	~22	~24	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	50~
SMALL HEATER PRE-PULSE (μsec)	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0	0	0	0
LARGE HEATER PRE-PULSE (μsec)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

(25pl)

FIG.34B

P_1 TABLE FOR LARGE EJECTION AMOUNT MODE
(FOR LOW TEMPERATURE)

HEAD T TEMPERATURE (℃)	~16	~18	~20	~22	~24	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	50~
SMALL HEATER PRE-PULSE (μsec)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LARGE HEATER PRE-PULSE (μsec)	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2

(40pl)

FIG.35A

P_1 TABLE FOR LARGE EJECTION AMOUNT MODE
(FOR HIGH TEMPERATURE)

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER PRE-PULSE (μsec)	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0..3	0.2	0.1	0
LARGE HEATER PRE-PULSE (μsec)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

(40pl)

FIG.35B

(FOR HIGH TEMPERATURE) (FOR LOW TEMPERATURE)

(FOR SMALL EJECTION AMOUNT MODE)



FIG.36A

(FOR MEDIUM EJECTION AMOUNT MODE)



FIG.36B

(FOR LARGE EJECTION AMOUNT MODE)



FIG.36C

OFF TIME P_2 TABLE FOR SMALL EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER OFF TIME (μsec)	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
LARGE HEATER OFF TIME (μsec)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(15pl)

FIG.37A

OFF TIME P_2 TABLE FOR MEDIUM EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER OFF TIME (μsec)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LARGE HEATER OFF TIME (μsec)	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4

(25pl)

FIG.37B

OFF TIME P_2 TABLE FOR LARGE EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER OFF TIME (μsec)	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
LARGE HEATER OFF TIME (μsec)	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2

(40pl)

FIG.37C

(FOR SMALL EJECTION AMOUNT MODE)



FIG.38A

(FOR MEDIUM EJECTION AMOUNT MODE)



FIG.38B

(FOR LARGE EJECTION AMOUNT MODE)



FIG.38C

OFF TIME P_2 TABLE FOR SMALL EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER OFF TIME (μsec)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LARGE HEATER OFF TIME (μsec)	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4

(15pl)

FIG.39A

OFF TIME P_2 TABLE FOR MEDIUM EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER OFF TIME (μsec)	4.0	3.6	3.2	2.8	2.4	2.0	1.6	1.2	0.8	0.4	0								
LARGE HEATER OFF TIME (μsec)	-	-	-	-	-	-	-	-	-	-	-								

(25pl)

FIG.39B

OFF TIME P_2 TABLE FOR LARGE EJECTION AMOUNT MODE

HEAD T TEMPERATURE (℃)	~26	~28	~30	~32	~34	~36	~38	~40	~42	~44	~46	~48	~50	~52	~54	~56	~58	~60	60~
SMALL HEATER OFF TIME (μsec)	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
LARGE HEATER OFF TIME (μsec)	4.0	3.7	3.5	3.4	3.3	3.25	3.2	3.15	3.1	3.05	3.0	2.95	2.9	2.85	2.8	2.75	2.7	2.65	2.6

(40pl)

FIG.39C

(FOR SMALL EJECTION AMOUNT MODE)



FIG.40A

(FOR MEDIUM EJECTION AMOUNT MODE)



FIG.40B

(FOR LARGE EJECTION AMOUNT MODE)



FIG.40C



FIG.41


SET SMOOTHING DATA
DEVELOP DOT DATA
S361
CALCULATE INTERPOLATING DOT DATA
S362
SET DRIVEN HEATER FOR GENERATE ADDITIONAL DOT DATA
S363
ALL REGION COMPLETED?
S364
NO
YES
RETURN

FIG.42


AUXILIARY SCANNING DIRECTION
PRIMARY SCANNING DIRECTION
ORIGINAL IMAGE
a
b
360 DPI PITCH
720DPI PITCH
360 DPI PITCH
720 DPI PITCH

FIG.43



FIG.44



FIG.45



FIG.46A


SMALL
EJECTION AMOUNT
MEDIUM
EJECTION AMOUNT
LARGE
EJECTION AMOUNT
CLOCK

FIG.46B



5, 5, · · · · · · 5 EQUAL FEEDING OF EJECTION OPENING WIDTH

FIG.47


1 2 3
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
2
IMAGE PRINTING RANGE
2
2
3, 5,
FEEDING OF EJECTION OPENING WIDTH

FIG.48


1 2 3 4 5
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
9
10
IMAGE PRINTING RANGE
2
2
2
2
10, 10, 11, -11,
FEEDING OF EJECTION OPENING WIDTH

FIG.49


1 2 3 4 5 6
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
9
10
2
IMAGE PRINTING RANGE
2
2
2
2
10,-5,10, 10, -5,
FEEDING OF EJECTION OPENING WIDTH

FIG.50


1 2 3 4 5 6
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
9
10
2
IMAGE PRINTING RANGE
2
2
2
2
2
10, -15, 10,
10, 10,
FEEDING OF EJECTION OPENING WIDTH

FIG.51


1 2 3
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
9
10
11
12
2
2
2
IMAGE PRINTING RANGE
4, 4,
FEEDING OF EJECTION OPENING WIDTH

FIG.52


1 2 3 4
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
9
2
2
2
2
IMAGE PRINTING RANGE
1,1,7,
FEEDING OF EJECTION OPENING WIDTH

FIG.53


1 2 3 4
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
9
2
2
2
2
IMAGE PRINTING RANGE
7,-5,7,
FEEDING OF EJECTION OPENING WIDTH

FIG.54


1 2 3 4
NUMBER OF SCANNING CYCLE
1
2
3
4
5
6
7
8
9
10
11
12
2
2
2
2
IMAGE PRINTING RANGE
10,-8,10,
FEEDING OF EJECTION OPENING WIDTH

FIG.55


1 2 3 4 5 6 7 8
NUMBER OF SCANNING CYCLE
2
2
2
1
2
3
4
61
62
63
64
IMAGE PRINTING RANGE
2
2
2
2

FIG.56



FIG.57A



FIG.57B



FIG.58A



FIG.58B



FIG.59A



FIG.59B



FIG.60A



FIG.60B


600DPI
200DPI
1
2
3
4
5
6
SH3
SH2
SH1
SH3
SH2
SH1
2NL
2NM
2NS
2NL
2NM
2NS
1 2 3 4 5 6

FIG.61



FIG.62